



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/736,073	12/13/2000	David J. Elliott	UV-102J	7710

7590 01/25/2005
Iandiorio & Teska
260 Bear Hill Road
Waltham, MA 02451-1018

EXAMINER

CROWELL, ANNA M

ART UNIT	PAPER NUMBER
----------	--------------

1763

DATE MAILED: 01/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

LD

Office Action Summary	Application No. 09/736,073	Applicant(s) ELLIOTT ET AL.	
	Examiner Michelle Crowell	Art Unit 1763	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 November 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14, 16-20 and 23-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-14, 16-20 and 23-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on November 16, 2004 has been entered.

Allowable Subject Matter

2. The indicated allowability of claim 16 is withdrawn in view of the newly discovered reference(s) to Cates et al. (U.S. 5,204,517). Rejections based on the newly cited reference(s) follow.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any

Art Unit: 1763

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 1,7-13, 17-20, 24-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murakami (U.S. 6,090,458) in view of Harada (U.S. 6,190,458-cited in 892 dated 06-27-02).

Referring to Figures 3 and 10, column 3, lines 27-52, column 4, lines 22-36, and column 7, line 55 – column 8, line 17, Murakami discloses an apparatus which uses a rectangular ultraviolet laser beam 30 and reactive gas to deposit metallic film on the substrate 104. The apparatus includes a chamber 103, glass window 111 (UV window) located on the top of chamber 103, beam expander 107 (beam forming module), rectangular ultraviolet laser beam 30, gas inlet port 102 (gas injection module), gas exhaust port connected to exhaust gas treatment 117 (gas exhaust module), heater 125 (heating elements) and X-Y stage 112 for heating and securely holding the substrate (vacuum chuck), dichroic mirror 109 for adjusting the angle of the rectangular beam, laser oscillator 20 (UV radiation source raw output), and object lens 110.

In addition, while the gas inlet and outlet are stationary, the X-Y stage 112 moves the substrate 104 to the desired position for deposition.

Regarding Claims 7-13 and 25

The apparatus of Murakami is capable of administering the various claimed processes with the appropriate processing materials supplied. (i.e. etching reaction, deposition reaction, oxidation reaction, reduction reaction, melting reaction, reaction for modifying a

Art Unit: 1763

metallic or non-metallic film, polymerization or UV curing reaction, and doping reaction).

Furthermore, a claim containing a “recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus” if the prior art apparatus teaches all the structural limitations of the claim. *Ex parte Masham*, 2 USPQ2d 1647 (Bd. Pat. App. & Inter. 1987).

Murakami fails to specifically teach that the gas exhaust module is inside the chamber.

Referring to Figure 5, column 7, lines 25-53, Harada teaches a processing apparatus having a gas exhaust module 111 located inside the chamber to remove reaction gas products near the substrate and prevent process gases from diffusing outside of the processing region. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide the exhaust module of Murakami inside the chamber as taught by Harada in order to remove reaction gas products near the substrate and prevent process gases from diffusing outside of the processing region.

6. Claims 2 and 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murakami (U.S. 6,090,458) in view of Harada (U.S. 6,190,458) as applied to claims 1,7-13, 17-20, 24-28 above, and further in view of Elliott et al. (U.S. 5,814,156).

The teachings of Murakami in view of Harada are discussed above.

Murakami in view of Harada fails to teach the wavelength of the UV radiation source raw output, energy level of the rectangular beam, optical elements, two cylindrical refractive elements.

Art Unit: 1763

Referring to column 4, lines 4-15, and column 5, lines 53-59, Elliott et al. teaches an apparatus which uses an ultraviolet radiation beam to clean (etch) the surface of a substrate. The laser source 22 provides a pulsed beam 24 (ultraviolet radiation beam) at wavelengths of 248 nm and 193 nm. Typical energy density levels at 248 nm range from 250-1500 mJ/cm² (0.25 – 1.5 J/cm²). The laser source 22 further includes a beam expanding system 26 (beam forming module) made up of two cylindrical mirrors 54 and 56 (two cylindrical refractive elements). It would have been obvious to one of ordinary skill in the art at the time of the invention to provide the apparatus of Murakami in view of Harada with the wavelength of the UV radiation source raw output, energy level of the rectangular beam, optical elements, and two cylindrical refractive elements as taught by Elliott et al. in order to ensure the appropriate wavelength and energy level necessary for the desired process. In addition, the cylindrical refractive elements (optical elements) create the rectangular beam in the desired dimension.

7. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murakami (U.S. 6,090,458) in view of Harada (U.S. 6,190,458) as applied to claims 1,7-13, 17-20, 24-28 above, and further in view of Schmidt et al. (U.S. 4,624,330).

The teachings of Murakami in view of Harada are discussed above.

Murakami in view of Harada fails to teach the dimensions of the rectangular beam.

Referring to column 2, lines 47-52, Schmidt et al. shows an ultraviolet beam 6 directed on vessel 1 with a length of 600 mm and width of 1mm.

In *Gardner v. TEC Systems, Inc.*, 725 F.2d 1338, 220 USPQ 777 (Fed. Cir. 1984), cert. denied, 469 U.S. 830, 225 USPQ 232 (1984), the Federal Circuit held that, where the only

Art Unit: 1763

difference between the prior art and the claims was a recitation of relative dimensions of the claimed device and a device having the claimed relative dimensions would not perform differently than the prior art device, the claimed device was not patentably distinct from the prior art device.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide the apparatus of Murakami in view of Harada with the dimensions as shown by Schmidt et al. in order to ensure the appropriate dimension of the rectangular beam necessary for the desired process.

8. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murakami (U.S. 6,090,458) in view of Harada (U.S. 6,190,458) as applied to claims 1,7-13, 17-20, 24-28 above, and further in view of Giapis et al. (U.S. 5,002,631).

The teachings of Murakami in view of Harada are discussed above.

Murakami in view of Harada fails to teach a block shaped manifold.

Referring to Figure 1 and column 3, lines13-15, Giapis et al. teaches a valve-controlled aperture 103 (block shaped manifold) with pump used to exhaust out gaseous reaction products. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide the apparatus of Murakami in view of Harada with the valve-controlled aperture as taught by Giapis et al. in order for gaseous reaction products to be exhausted.

Art Unit: 1763

9. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murakami (U.S. 6,090,458) in view of Harada (U.S. 6,190,458) as applied to claims 1,7-13, 17-20, 24-28 above, and further in view of Cates et al. (U.S. 5,204,517).

The teachings of Murakami in view of Harada are discussed above.

Murakami in view of Harada fails to teach a rectangular beam, a gas injection module and a gas exhaust module moving across a stationary substrate surface.

Referring to Figure 1 and column 8, line 41-column 9, line 25, Cates et al. teaches a rectangular beam 12, a gas injection module 62 and a gas exhaust module 65 moving across a stationary substrate surface by means of the robotic positioner 42 in order to move the processing region along a desired path of the substrate surface. Thus, it would have been obvious to one of ordinary skill in the art the time of the invention for the rectangular beam, the gas injection module and the gas exhaust module of Murakami in view of Harada to move across a stationary substrate surface as taught by Cates et al. in order to move the processing region along a desired path of the substrate surface.

10. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murakami (U.S. 6,090,458) in view of Harada (U.S. 6,190,458) as applied to claims 1,7-13, 17-20, 24-28 above, and further in view of Lee et al. (U.S. 6,374,770).

The teachings of Murakami in view of Harada are discussed above.

Murakami in view of Harada fails to teach an electronic control module.

Art Unit: 1763

Referring to Figure 1 and column 4, lines 46-50, Lee et al. teaches a CVD apparatus which uses a processor 34 operated by a computer program stored in memory 38 for a deposition reaction. The computer program selects the timing, mixture of gases, chamber pressure, chamber temperature, RF power levels, susceptor position, and other parameters of a particular process. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide the apparatus of Murakami in view of Harada with a processor as taught by Lee et al. in order to control various processing parameters to yield the optimum processing environment for deposition.

11. Claim 29 is under 35 U.S.C. 103(a) as being unpatentable over Murakami (U.S. 6,090,458) in view of Harada (U.S. 6,190,458) as applied to claims 1,7-13, 17-20, 24-28 above, and further in view of Mannava et al. (U.S. 5,174,826).

Referring to Figure 2, column 6, lines 15-31, Harada teaches a processing apparatus providing multiple gases 52 and 86 (a second fluid or vapor) to the substrate surface in order to deposit the desired film layer. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to provide the apparatus of Murakami in view of Harada with a second fluid or vapor to the substrate surface as taught by Mannava et al. in order to deposit the desired film layer.

Response to Arguments

12. Applicant's arguments with respect to claims 1-14, 16-20, and 23-29 have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 1763

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michelle Crowell whose telephone number is (571) 272-1432. The examiner can normally be reached on M-F (9:00 - 5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Mills can be reached on (571) 272-1439. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AMC *ame*
01-24-05

[Signature]
SUPERVISOR
TECHNICAL
EXAMINER
CO